This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.
























FIG. 9

FIG. 10





FIRST ORDER OPTICAL PARAMETERS

2-meter collecting aperture 12-meter focal length 5-µm pixel size 100% fill factor 0.5 µm wavelength

Phase function is a Zernike polynomial with the following weights

#	Mathematical Form	Weight	#	Mathematical Form	Weight
0	1	0	11	$(4\rho^2 - 3)\rho^2 \cos 2\theta$	0.0379
1	ρ cosθ	0	12	$(4\rho^2 - 3)\rho^2 \sin 2\theta$	-0.1151
2	ρ sinθ	0	13	ρ ⁴ cos4θ	0.5730
3	2ρ ² - 1	-0.1914	14	ρ ⁴ sin4θ	0.2412
4	$\rho^2 \cos 2\theta$	-0.3986	15	$(4\rho^4-12\rho^2+3)\rho \cos\theta$	-0.3050
5	ρ ² sin2θ	0.0290	16	$(4\rho^4-12\rho^2+3)\rho \ sin\theta$	-0.1698
6	(3ρ ² - 2)ρ cosθ	0.1073	17	(5ρ ⁵ -4ρ ³)cos3θ	0.0589
7	(3ρ2 - 2)ρ sinθ	-0.0336	18	(5ρ ⁵ -4ρ ³)sin3θ	-0.0965
8	ρ ³ cos3θ	0.0496	19	ρ ⁵ cos5θ	0.7186
9	ρ ³ sin3θ	-0.0562	20	ρ ⁵ sin5θ	-0.5219
10	6ρ ⁴ - 6ρ ² +1	-0.2093			




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16







FIG. 17


FIG. 17A



Weights = [-0.1837 -0.3292 0.3110 -0.0210 -0.0628] Functional Form = [R R³ R⁵ R $\cos(\theta)$ R $^3\cos(3\theta)$]







Values denotes misfocus in waves





FIG. 18



Odd Asphere Surface:


Aspheric Terms:

-8.42	9.35×10^{-4}	2.61×10^{-4}	4.07×10^{-4}	9.00×10^{-5}
Conic	1st	3rd	St.	£

 $C(x) = 3.9 \times 10^{-3} + 7.7 \times 10^{-5} \times^2$, |x| < 1Across the paths form given by: Along the paths form given by:

Constant profile path optics, the paths being defined along the sides of a square

 $D(y) = 1.97 \times [0.1 \text{ y} - 0.18 \text{ y}^2 + 1.02 \text{ y}^3], 0 < y < 1$







FIG. 20A









FIG. 21A











FIG. 22D



F/G. 23





FIG. 24






FIG. 26





FIG. 27







FIG. 28C



EYE AND IRIS 3001

FIG. 29